



Valve Cylinder Assemblies and Accessories

CATALOGUE

NAF® S 125
NAF® S 227
NAF® S 1230

FIRE
EXTINGUISHING
SYSTEMS

NAF®, NAF® S 125, NAF® S 227 and SAFETY HI-TECH® are registered trademarks of Safety Hi-Tech srl. UL Listing Mark and UL Recognized Component Mark are registered trademarks of Underwriters Laboratories Inc. Centurion, Praetorian, Quaestor, Venator and Certified Safety Passion are trademarks of Safety Hi-Tech® srl.




@42bar V20
Assembly

@42bar V25
Assembly

@42bar V40
Assembly

@25bar V65
Assembly





V-20



Valve Cylinder Assemblies @ 42 bar

AGENT	CYL. SIZE (L)	ASSEMBLY HEIGHT [mm]	CYL. EXT. Ø [mm]	PART NUMBER
NAF® S 125	5	615	140	SH70025410UL
	13,4	1250	140	SH70025409UL
	26,8	1000	229	SH70025408UL
NAF® S 227	5	615	140	SH70027410UL
	13,4	1250	140	SH70027409UL
	26,8	1000	229	SH72527408UL
NAF® S 1230	5	615	140	SHFKBCA005UL
	13,4	1250	140	SHFKBCA013UL
	26,8	1000	229	SHFKBCA026UL



V-25



Valve Cylinder
Assemblies @ 42 bar

AGENT	CYL. SIZE (L)	ASSEMBLY HEIGHT [mm]	CYL. EXT. Ø [mm]	PART NUMBER
NAF® S 125	40,2	1370	229	SH70025407UL
	67,5	1625	267	SH70025412UL
NAF® S 227	40,2	1370	229	SH70027407UL
	67,5	1625	267	SH70027412UL
NAF® S 1230	40,2	1370	229	SHFKBCA040UL
	67,5	1625	267	SHFKBCA067UL



V-40



Valve Cylinder Assemblies @ 42 bar

AGENT	CYL. SIZE (L)	ASSEMBLY HEIGHT [mm]	CYL. EXT. Ø [mm]	PART NUMBER
NAF® S 125	75	1785	267	SH70025405UL
	100	1460	358	SH70025404UL
	120	1680	358	SH70025403UL
NAF® S 227	75	1785	267	SH70027405UL
	100	1460	358	SH70027404UL
	120	1680	358	SH70027403UL
NAF® S 1230	75	1785	267	SHFKBCA075UL
	100	1460	358	SHFKBCA100UL
	120	1680	358	SHFKBCA120UL
	140*	1880	360	SHFKBCA140UL
	160*	1980	360	SHFKBCA160UL
	180*	2285	360	SHFKBCA180UL
* @60bar				



V-6 5



Valve Cylinder Assemblies @ 25 bar

AGENT	CYL. SIZE (L)	ASSEMBLY HEIGHT [mm]	CYL. EXT. Ø [mm]	PART NUMBER
NAF® S 125	175	1540	445	SH70025414UL
	240	1945	445	SH70025415UL
NAF® S 227	175	1540	445	SH70027414UL
	240	1945	445	SH70027415UL
NAF® S 1230	175	1540	445	SHFKBCA175UL
	240	1945	445	SHFKBCA240UL



CHECK VALVE 1"



CHECK VALVE 2"



CHECK VALVE 3"



ACCESSORIES

NOZZLES & DIAPHRAGMS

STEEL CHROMIUM PLAT. NOZZLE 360° or 180°, from 1/2" to 2"



THREADED DIAPHRAGM, from 1/2" to 2"



ACTUATION DEVICES

MANUAL RELEASE / PNEUMATIC MANUAL RELEASE



PNEUMATIC CONES 1, 2, 3 WAYS



SOLENOID VALVE (MODULAR OR BANK)



HOSES

HOSE Ø 3/4" (V20 VALVE)



HOSE Ø 1" (V25 VALVE)



RIGID HOSE Ø 1 1/2" (V40 VALVE)



RIGID HOSE Ø 2 1/2" (V65 VALVE)



CertifiedSafetyPassion

Safety Hi-Tech® Europe Srl

Via degli Olmetti, 39/E
00060 Formello (Roma)
Italy, European Union

Tel: +39 06 92959190

Fax: +39 06 56561050

www.safetyhitech.eu

customer.service@safetyhitech.eu


NAF®, NAF®S 125, NAF®S 227 and SAFETY HI- TECH® are registered trademarks of Safety Hi-Tech srl. UL Listing Mark and UL Recognized Component Mark are registered trademarks of Underwriters Laboratories Inc. Centurion, Praetorian, Quaestor, Venator and Certified Safety Passion are trademarks of Safety Hi-Tech® srl.



Certified to EN 12094-4, -8, -13
LPCB Ref. No. 969a



ISO 9001
Certificate n° 452235 QM08



0575
MEDB000039B